



The internet of things: Transforming information management, distribution, and optimization

Ishwari V Pund¹, Dr. Nidhi Mishra², Dr. Nisha A Auti³

¹ Research Scholar, Department of Computer Science, Kalinga University, Raipur, Chhattisgarh, India

² Department of Computer Science, Kalinga University, Raipur, Chhattisgarh, India

³ Associate Professor, Department of Engineering, Bharti Vidyapeeth, Pune, Maharashtra, India

Abstract

The Internet of Things (IoT) is defined as one of the most innovative technologies as it develops the way that information is transferred and processed in different sectors. IoT imply the connection of devices, the usage of real-time data and demonstrate its positive impact on productivity, accurate automation, and decision-making. One of the major conceptual foundations of IoT with focus on its facilitation of enhanced information management systems resulting from enhancements in data processing and storage. It emphasizes IoT's potential in terms of efficiency and effectiveness of using cloud and edge computing, coupled with artificial intelligence, in the arrangement of information dissemination. The study also looks into the implementations achieved through IoT, which include system optimization for areas such as predictive maintenance and resource provision while at the same time acknowledging the emergence of disruptive issues like security issues, information overload and ethical issues.

Keywords: Internet of Things (IoT), information management, data distribution, optimization, real-time analytics, security challenges

Introduction

IoT has found use in a wide range of applications, including "smart" homes, networks, gardens, cities, and more. Different standards & developments are being embraced by the exponentially growing number of IoT devices. The second big problem with IoT devices is that they can't communicate with each other or with administrators' systems (Selvi, M., Kumar, S. S., 2021) ^[1]. For data transmission with negligible human intervention, specialized equipment should be flexible enough to adapt to different situations. Two types of inevitable human-centered worldviews are the human-driven & human-free. Over the last decade, academics have focused a lot of emphasis on how to make the IoT more energy efficient. Since this is the case, new challenges have emerged for IoT applications aiming at energy-efficient routing (Alabdali, A. M., Gharaei, 2021) ^[2]. The most important requirement for WSNs enabled by the IoT is that they should operate continuously & inexpensively for longer periods of time without requiring human intervention. Because most of the devices in these IoT systems will run on batteries, energy efficiency is typically a top priority for device managers. Both of these sources. Research on energy productivity for sensor hubs that run on batteries or lifetime upgrades has been going on for a long time in the WSN field. While the steering layer's traditions centre on data collection and many-to-one gearbox, the MAC layer's conventions concentrate on changing the duty cycle of the sensor hubs (Behera, T. M., 2020) ^[3].

Wireless sensor networks

The importance of WSN in the realm of everyday data capture is growing, & field of study around them is also fast rising. Detected data from the delivery zone is transmitted back to the main station by WSNs working cooperatively. WSNs were first introduced for use in heavy-duty military applications & then expanded to more delicate uses, such as

consumer WSNs. Since WSN devices (hubs) rely on batteries, energy conservation is their top priority. The sensor hub's battery life is a significant constraint of the downsizing process, which necessitates the adoption of low-power technology. Similarly, improvements in code (calculation complexity), the operating system, and apps that aid the hub's mobility can extend the time of the sensor hubs. Coordinating & aggregating data responses to the Base Station (BS) is necessary due to the limitations of these sensor hubs' computational, transmission, or battery control capabilities (Mishra, P. K., 2020) ^[4].

IOT based Wsn applications

1. Industry object tracking

The utilization of sensors enables the tracking & monitoring of objects transported by vehicles or their movement in a networked setting lacking traditional infrastructure. With sufficient coverage from the base station and relay nodes, it should be possible to receive the sensed data or location reports. A wide variety of industries, including transportation, utilities, and oil & gas, use sensors to detect product leaks (Al-Khayyat, A. T. A., 2020) ^[5].

2. Vehicular networking with sensors

Extra features to driver aided systems integrated into modern vehicle designs are brought about by the introduction of "sensor on wheels" in cars. Information exchanged between vehicles or between vehicles & roadside infrastructure networks, as well as details regarding emergency system alerts and driver safety support, can be gathered using this method.

3. Ecological monitoring

The use of sensors allows for the monitoring of wildlife & related environmental actions with minimal impact on local inhabitants. The environmental sensors are designed to measure pollution, air quality, wildlife, rainfall, wildfires, or

man-made disasters. Earthquakes & landslides are tracked utilizing seismic sensors, which measure the size and direction of an impact (Lata, S., Mehfuz, S., 2020) ^[6].

4. Medical industry

Regular health monitoring and the provision of medically-related information are two functions of the healthcare system as a whole. The adoption of this technology allows the elderly to live independently with less help from caregivers and provides excellent care for children & infants who are at home alone. Users' demand for modern systems that can track their vitals—including steps taken, heart rate, blood pressure, and unusual activity—has skyrocketed since the system's incorporation with the IoT. In order to examine the user's daily physical activity, all of the measured data is consolidated & mapped to a clinical data set. Medical sensors integrate transducers that detect electrical, optical, genetic, chemical, & thermal signals in order to monitor and comprehend physiological changes in a patient's condition.

Architecture of Wsn-IOT

The perceptual layer provides the foundation for data sensing. Before data enters the gateway, equipment such as sensors & sensor networks gather information in the perception layer. The perception layer is the backbone of the IoT. The perception layer relies on technologies such as RFID, RFID materials, research into communication protocols, creation of chips, control & sensing, smart power saving, and short-range wireless communication. Data transport occurs at the second layer, which is home to the transmission layer. A data-centric Internet of Things relies on the transmission layer for management & analysis of sensor data. Theoretical frameworks & practical applications for sensing data interpretation, analysis, storage, querying, & mining are all part of this category (Aditya, V., Dhuli, S., 2020) ^[7].

Wsn features

The following characteristics are present in networks of wireless sensors:

1. **Size:** wireless sensor networks collect more data and cover more ground than other types of networks. These advantages are built upon a network of many sensor nodes. This, however, may make maintenance more difficult in situations when there are several sensor nodes. Furthermore, sensor node replacement can be difficult due to their specific application areas, particularly in high-pressure, high-temperature, or radiation-prone environments
2. **Limited battery capacity:** the stability of an infinite sensor network's operational state is highly related to battery capacity. In the event of damage or low power, batteries must be changed promptly because they are not renewable. The unique geographical placement of sensor nodes & large variety of sensors employed make battery replacement a difficult operation. Similarly, extending the life of the batteries is necessary to guarantee the accuracy of the sensor data
3. **Making up for inadequate communication capabilities using multi-hop network technology** When it comes to communication, sensors often aren't very well-equipped and need multi-hop network technology to be routed in

order to talk to each other and other nodes. With the use of multi-hop network transmission technology, data may be delivered from other sensor nodes and received by the aggregation node that corresponds to the node. Connecting sensor nodes ensures that they will continue to function even if one fails.

4. After a sensor is randomly thrown, the position of the free fall point is the sensor node, & associated network structure must be established after determining the correct fall point. There are a number of problems that might arise with their use, including power outages and damage. As a result, reliable dynamic coordination throughout the sensor network is essential (Premkumar, M., 2020) ^[8].

Challenges of IOT enabled WSNs

In recent years, researchers have focused on a wide range of WSN issues, including energy management, efficient routing, data aggregation, security, self-organizing networks, cluster-based networks, and many more. Problems with WSN architecture can be categorized according to the data centric approach's following services:

Energy Management: There is a direct correlation between the radio design & quality of the energy optimization protocol suite. Battery power, either by depleting one's supply or from energy harvesting, is what keeps nodes running. Implementing resting sessions, minimizing the number of sensors integrated into a single node, adding forwarding nodes as intermittent nodes, and simplifying processing algorithms are all ways to save energy.

Routing: In order to send the detected data to the sink, a routing mechanism is employed. Over the past ten years, numerous routing protocols have been created with the aim of enhancing routing performance in different contexts. The networking layer is responsible for routing, which can be either single-hop or multi-hop. When routing data from a cluster of nodes that are similar to one another or from nodes that are detecting the same event with different parameters, clustering becomes a challenge (Kitaw, B., Bayu, F., 2020) ^[9].

Data Aggregation: The numerous data points collected by sensor nodes in a given region will have a common format, beginning with the most fundamental data aggregation service. To stop data reuse, a local node collects readings from a cluster of nodes measuring the same parameter & sends them to a sink.

Security: There are dangers and hazards that can affect networks. Data integrity issues, eavesdropping, fake message inserting, man-in-the-middle attacks, DDoS, & wasted network resources are some of the threats that WSNs face. It is possible to spoof or eavesdrop on data transmitted by wireless nodes since their messages are broadcast to the medium. One way to improve clustering's security is to reduce the amount of cryptographic keys used (Sureshkumar, C., 2020) ^[10].

Bunching is the method by which QoS, adaptability, energy efficiency, and extending the life of the system are achieved. Many novel grouping calculations are improved by this bunching strategy. The clustering algorithm directs the hubs to divide into many smaller groupings. In a sensor network, one hub acts as the pioneer hub, known as the Cluster Head (CH).

Conclusion

Specifically, IoT has dramatically changed approaches to handling information as well as distributing and optimizing it across the majority of industries. Through the use of real time data acquisition and processing, IoT has brought about a culture of efficiency replacing normal networks with sophisticated intelligent ones. Integrated with other cutting edge technologies like cloud, AI, and 5G, IoT makes the best of resources and orchestrates processes in business and organizations in a way that was previously unimaginable. As expected, many researchers and analysts have pointed out that there are significant drawbacks to implementing AI, which must be fixed before people can experience the full benefits of these solutions. With this in mind, we could see that over the course of continued IoT development, IoT will create even more intelligent and interwoven systems which will push the sectors of healthcare, manufacturing, transportation, and smart cities in the future forward a notch. Finally, due to the predicted abundance of data, IoT envisions the world with optimization as the base for industries and a better quality of life for individuals across the world.

References

1. Selvi M, Kumar SS, Ganapathy S, Ayyanar A, Nehemiah HK, Kannan A. An energy-efficient clustered gravitational and fuzzy-based routing algorithm in WSNs. *Wireless Personal Communications*,2021:116(1):61-90.
2. Alabdali AM, Gharaei N, Mashat AA. A framework for energy-efficient clustering with utilizing wireless energy balancer. *IEEE Access*,2021:9:117823–117831. <https://doi.org/10.1109/ACCESS.2021.3106728>
3. Behera TM, Mohapatra SK, Samal UC, Khan MS, Daneshmand M, Gandomi AH. I-SEP: An improved routing protocol for heterogeneous WSN for IoT-based environmental monitoring. *IEEE Internet of Things Journal*,2020:7(1):710–717. <https://doi.org/10.1109/JIOT.2019.2944414>
4. Mishra PK, Verma SK. OCSSP: Optimal cluster size selection-based clustering protocol using fuzzy logic for wireless sensor network. In *IEEE International Conference on Advent Trends in Multidisciplinary Research and Innovation (ICATMRI)*, 2020.
5. Al-Khayyat ATA, Ibrahim A. Energy optimization in WSN routing by using the K-means clustering algorithm and ant colony algorithm. In *4th International Symposium on Multidisciplinary Studies and Innovative Technologies*, 2020.
6. Lata S, Mehruz S, Urooj S, Alrowais F. Fuzzy clustering algorithm for enhancing reliability and network lifetime of wireless sensor networks. *IEEE Access*,2020:8:66013–66024. <https://doi.org/10.1109/ACCESS.2020.2985267>
7. Aditya V, Dhuli S, Sashrika PL, Shivani KK, Jayanth T. Closeness centrality-based cluster head selection algorithm for large-scale WSNs. In *12th International Conference on Computational Intelligence and Communication Networks (CICN)*, 2020.
8. Premkumar M, Sundararajan T. DLDLM: Deep learning-based defense mechanism for denial of service attacks in wireless sensor networks. *Microprocessors and Microsystems*,2020:79:103278.
9. Kitaw B, Bayu F, Birhanu G. Efficient-path selection scheme using optimized Adhoc on demand multipath routing protocol for Adhoc networks. *International Journal of Advanced Networking and Applications*,2020:11(4):4336–4344.
10. Sureshkumar C, Sabena S. Fuzzy-based secure authentication and clustering algorithm for improving the energy efficiency in wireless sensor networks. *Wireless Personal Communications*, 2020.